Version: 1.0

Reviewed on 02/14/2020

1 Identification

- · Product identifier
- · Trade names: RED Metakao, Metakao Bright, Metakao 110HR
- · Application of the substance / the preparation:Concrete Additive
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: RED Industrial Products 4 Village Park Dr. Suite 110 Grove City PA 16127 U. S. A. Phone: 1-877-733-2281

• **Emergency telephone number:** RED Industrial Products: +1-877-733-2281 (9am-5pm EST)

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: quartz (SiO2)
- · Hazard statements

Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)

Health = 1 Fire = 0 Reactivity = 0

Version: 1.0

· HMIS-ratings (scale 0 - 4)

HEALTH*1Health = *1FIRE0Fire = 0REACTIVITY0Reactivity = 0

* Product presents long-term adverse effects.

Hazard not otherwise classified

WARNING. Contains a substance known to the State of California to cause cancer. Quartz is classified by IARC (International Agency for Research on Cancer) as carcinogenic to humans by inhalation (Group I). Furthermore, quartz can cause silicosis, lung cancer and other lung diseases on prolonged exposure.

Kaolin clay may contain up to 2% quartz which is part of the natural raw material as mined. Contains \sim 1% naturally occurring quartz that is bound in the product matrix reducing free respirable crystalline silica to <0.1%.

Occupational exposure limits to respirable crystalline silica are not expected to be exceeded during normal, foreseeable conditions of fresh product use, as recommended by GRACE. Exposure to respirable dust and respirable crystalline silica should be monitored and controlled during other conditions.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description:

· CAS No. a	nd description:				
1332-58-7 natural aluminosilicate (Kaolin)					
· List of Dar	ngerous Components				
14808-60-7	7 quartz (SiO2) STOT RE 1, H372	≤ 2.5%			
	Silica, crystalline (airborne particles of respirable size)	<0.1%			
· Impurities	and stabilizing additives:				
14808-60-7	/ quartz (SiO2)				
	Silica, crystalline (airborne particles of respirable size)	& Carc. 1A H350			

4 First-aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Generally the product does not irritate the skin.

Immediately wash with water at least for 30 minutes and rinse thoroughly.

If skin irritation occur, consult a doctor.

- After eye contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Then consult a doctor.
- · After swallowing: Seek medical attention. Do not induce vomiting.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

Version: 1.0

Reviewed on 02/14/2020

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

• Suitable extinguishing agents: Use fire fighting measures that suit the environment. • Hazardous combustion products No dangerous substances are released.

- · Protective equipment: Wear personal protective equipment.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Vacuuming or wet sweeping may be used to avoid dust dispersal.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
 Prevent formation of dust.
 Keep receptacles tightly sealed.
 Provide suction extractors if dust is formed.
 Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.
 Take precautionary measures against static discharges.
- Information about protection against explosions and fires: Protect against electrostatic charges.

The product is not flammable.

- Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
 Store in dry conditions.
 This product is hygroscopic.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

Version: 1.0

	ponents with limit values that require monitoring at the workplace: -58-7 natural aluminosilicate (Kaolin)
	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV	Long-term value: 2* mg/m³ E; as respirable fraction
1480	8-60-7 quartz (SiO2)
	see Quartz listing Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
Expo Perso	tional information: Valid lists at time of creation were used as basis. sure controls onal protective equipment:
	eral protective and hygienic measures: Isual precautionary measures for handling chemicals should be followed.
Prote	ection of hands:
MIS.	Protective gloves
Wear	gloves for the protection against mechanical hazards.
Butyl Nitrile	rial of gloves rubber, BR ∋ rubber, NBR mmended thickness of the material: ≥ 0.35 mm
Butyl	he permanent contact gloves made of the following materials are suitable: rubber, BR e rubber, NBR
Eye p	protection:
(Safety glasses

 Information on basic physical General Information Appearance: 	and chemical properties	
Form:	Powder	
Color:	White	
· Odor:	Odorless	
· Odour threshold:	Not available.	
· pH-value at 20 °C (68 °F):	4 - 8	

Safety Data Sheet acc. to OSHA HCS

Printing date 02/14/2020

Version: 1.0

Change in condition	
Melting point/Melting range:	1400-1800 °C (2552-3272 °F)
Boiling point/Boiling range: Conditions of flammability	Not determined.
Flash point:	Not available.
Flammability (solid, gaseous): Ignition temperature: Decomposition temperature:	Product is not flammable. Not available. 400-550 °C (752-1022 °F) (structural decomp.)
Auto igniting:	Product is not self-igniting.
Danger of explosion: Explosion limits: Lower:	Product does not present an explosion hazard.
Upper:	- Vol %
Vapor pressure at 20 °C (68 °F):	hPa
Density at 20 °C (68 °F): Bulk density at 20 °C (68 °F): Vapour density	2.1 - 2.6 g/cm³ (17.525 - 21.69 lbs/gal) 200 - 600 kg/m³ Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water: Coefficient of water/oil distribution:	Insoluble. Not available.
Viscosity: Dynamic at 20 °C (68 °F):	mPas
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

In case of thermal decomposition caused by smouldering and incomplete combustion toxic fumes may be developed.

- · Incompatible materials: Protect from contamination.
- · Hazardous decomposition products: No dangerous decomposition products known.

1

Κ

Printing date 02/14/2020

Version: 1.0

Reviewed on 02/14/2020

11 Toxicological information

- · Information on the likely routes of exposure
- Delayed and immediate effects and chronic effects from short or long term exposure • Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:				
	1332-58-7 natural aluminosilicate (Kaolin)			
Oral	LD50	>5000 mg/kg (rat) TAP Review Agricultural Marketing Service 8/16/2002		
Dermal	LD50	>5000 mg/kg (rat) TAP Review Agricultural Marketing Service 8/16/2002		
Inhalative	LC0	>2.18 mg/l/4h (rat) 40 CFR 160 comparable substance		
				

· Primary irritant effect:

[.] on the skin:			
1332-58-7 natural aluminosilicate (Kaolin)			
Irritation of skin		0 (rabbit) 40 CFR 160 comparable substance	

· on the eye:

1332-58-7 natural aluminosilicate (Kaolin)

Irritation of eyes IS 4.7 (rat) 40 CFR 160 comparable substance

• Skin sensitization No further relevant information available.

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14808-60-7 quartz (SiO2)

· NTP (National Toxicology Program)

14808-60-7 quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Carcinogenicity No further relevant information available.
- Mutagenicity No further relevant information available.
- Reproductive toxicity No further relevant information available.
- Specific target organ toxicity (single exposure) No further relevant information available.
- Specific target organ toxicity (repeated exposure) No further relevant information available.

Version: 1.0

12 Ecological information

· Toxicity

• Aquatic toxicity:

· Water flea toxicity

1332-58-7 natural aluminosilicate (Kaolin)

EC50 (48 h) >1100 mg/l (Daphnia magna) Environmental Health Criteria (WHO 2005)

- · Persistence and degradability No further relevant information available.
- Other information:

By the insolubility in water there is a separation at every filtration and sedimentation process.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Recommendation:

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/ provincial and local requirements.

14 Transport information

[·] UN-Number [·] DOT, ADR, ADN, IMDG, IATA	None
 [.] UN proper shipping name [.] DOT, ADR, ADN, IMDG, IATA 	None
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	None
 Packing group DOT, ADR, IMDG, IATA 	None
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.

Safety Data Sheet acc. to OSHA HCS

Printing date 02/14/2020

Version: 1.0

· Transport/Additional information:

Not dangerous according to the above specifications.

·SARA	
· SARA 302/3	04
	ingredients is listed.
· SARA 313	
	ingredients is listed.
	12 Delayed (Chronic) Health Hazard.
· TSCA (Toxi	c Substances Control Act):
•	ts are listed.
· Proposition	
	known to cause cancer:
14808-60-7	quartz (SiO2)
	Silica, crystalline (airborne particles of respirable size)
	known to cause reproductive toxicity for females:
	ingredients is listed.
	known to cause reproductive toxicity for males:
	ingredients is listed.
	known to cause developmental toxicity:
None of the	ingredients is listed.
· Carcinogen	ic categories
· EPA (Enviro	onmental Protection Agency)
None of the	ingredients is listed.
· TLV (Thres	hold Limit Value established by ACGIH)
All ingredien	ts are listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
14808-60-7	quartz (SiO2)
· Canadian D	SL
1332-58-7	natural aluminosilicate (Kaolin)
14808-60-7	quartz (SiO2)
	Silica, crystalline (airborne particles of respirable size)
· Canadian N	DSL
All substanc	es are listed or exempt from listing.
· European E	INECS
All ingredien	ts are listed.
· Philippines	Inventory of Chemicals and Chemical Substances PICCS
	ts are listed.
All ingredien	f the Existing Chemical Substances manufactured or imported in China IECS0
0	
· Inventory o	ts are listed.

Safety Data Sheet acc. to OSHA HCS

Printing date 02/14/2020

Version: 1.0

· Existing a	nd New Chemical Substance List ENCS	
-	/ natural aluminosilicate (Kaolin)	
14808-60-	7 quartz (SiO2)	1-5
	Silica, crystalline (airborne particles of respirable size)	
· Korean Ex	isting Chemical Inventory KECI	
	7 natural aluminosilicate (Kaolin)	KE-217
	7 quartz (SiO2)	KE-299
	Silica, crystalline (airborne particles of respirable size)	*
quartz (SiC • Hazard sta Causes da • Precaution Do not bre Wash thom Do not eat	termining components of labeling: 02)	
for any spe • Relevant H350 May	nation is based on our present knowledge. However, this s crific product features and shall not establish a legally valio ohrases cause cancer.	d contractual relationship.
H372 Caus	ses damage to organs through prolonged or repeated expo	osure.
• Contact: SALES OF		
• Contact: SALES OF RED Indus 4 Village P	trial Products ark DR Suite 110 , PA 16127	

Version: 1.0

Reviewed on 02/14/2020

<u>Mailing Address / Contact</u> : RED Industrial Products 4 Village Park Dr Suite 110 Grove City, PA 16127, USA Tel: +1 877-733-2281	
 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning th International Carriage of Dangerous Goods by Road) 	ne
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Carc. 1A: Carcinogenicity, Hazard Category 1A STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1	